

TOWN OF COLDEN  
FEB 10 2015  
TOWN CLERKS OFFICE

**Colden Environmental Board Meeting**

February 3, 2015      Minutes - Draft

**EB Members Present:**      Linda Antowiak, Ellen Eigenbrod, Deborah Jusiak, and  
Deborah Pasco

**Absent:**                      Craig Bouquin

**Others Present:**        Jim DePasquale (Town Supervisor), John Kruszka, and  
Gerry Piatraszek

Linda Antowiak called the February 3, 2015 Environmental Board Meeting to order at 7:05 PM in the courtroom at the Colden Town Hall.

I.      Chairperson

The Environmental Board decided to elect a Chairperson when all members of the Board are present.

II.     Disclosure

The disclosure was handed out to the Environmental Board Members and will be submitted to Chris Kerlin the Town Clerk.

III.    Kruszka – SUP

John Kruszka would like to obtain a Special Use Permit (SUP) for selling used cars from his residence. The vehicles will be stored in a barn located on the premise without any mechanical work to be performed on the vehicles. John Kruszka would like to store three to five cars in the barn and has written approval from nearby neighbors and his tenants. The vehicles will be advertised for sale using the internet, and will be kept low-key.

The SEQR was approved by the Environmental Board, motioned made by Linda and all were in favor. A signed copy will be sent to Mr. Kruszka and the approval will be submitted to the Colden Town Board.

IV.    November Minutes

The minutes were not approved because not all of the members that attended the November meeting were there to review the minutes for approval.

V. Draft for Hydraulic Fracturing

The Environmental Board reviewed the draft for Hydraulic Fracturing with Jim DePasquale. The Board agreed on the following topics to be reviewed by the Town Attorney and the Colden Town Board.

- A good definition of the numbers of gallons that can constitute high volume
- Page 4; Section 2, should state impartial water testing
- Page 5; Section 3, should have set standards for testing drinking water - Results should meet drinking water standards
- The terms of horizontal and vertical should be eliminated for the text and should just read as: High-Volume Hydraulic Fracturing

The Public Hearing will take place in March.

Linda motioned to adjourn at 8:05 PM, all were in favor. Motioned approved.